

Overview

The KEMET PEG226 is an electrolytic capacitor with an outstanding electrical performance. The device has a polarized all-welded design, tinned copper wire leads, and a negative pole connected to the case. The PEG226 winding is housed in a cylindrical aluminum can, with a high purity aluminum lid and a high quality rubber gasket. The low ESR is the result of a low resistive electrolyte/paper system and an all-welded design. Thanks to its mechanical robustness, the PEG226 is suitable for use in mobile and aircraft installations, with operation up to +150°C. KEMET's automotive grade capacitors meet the demanding Automotive Electronics Council's AEC–Q200 qualif cation requirements.

Applications

The KEMET PEG226 is a new generation of high performance axial electrolytic capacitors. It is designed for automotive applications with extremely high demands.

Benefits

- AEC-Q200 automotive qualifed
- 2,000 hours at +150°C
- · Extremely high ripple current
- Up to 28 A ripple, RMS, continuous load
- · High vibration resistance
- · Polarized all-welded design
- Outstanding electrical performance

Part Number System

PEG226	Н	F	415	0	М	E1
Series	Rated Voltage (VDC)	Size Code	Capacitance Code (µF)	Version	Capacitance Tolerance	Packaging
Axial Aluminum Electrolytic	H = 25 K = 40 M = 63	See Dimension Table	The last two digits represent signif cant fgures. The frst digit indicates the total number digits.	0 = Standard	Q = -10/+30% M = ±20%	E1 = Bulk





Performance Characteristics


Item	Performance Characteristics							
Capacitance Range	250 – 4,700 μF							
Rated Voltage	25 – 63 VDC							
Operating Temperature	40 to +150°C							
Capacitance Tolerance	–10/+30%, (±20% select values) at 10	0 Hz/+20°C						
	D (mm)	Rated voltage, +125°C (hours)	Raphe?dophie381119663637119201970119888(chu19)					
Operational Lifetime	16	6,300	1,500					
	18 and 20 b 🛙							



Ordering Options Table

Packaging Kind	Lead Length (mm)	Lead and Packaging Code						
Standard Packaging Option								
Bulk (box)	40 ±2	(E1)						

Dimensions – Millimeters



Size Code		Approximate						
	D) L L1		d	LL	Weight		
oouc	±0.5	±1	Minimum	±0.03	b ±2 Box	Grams		
F	16	26.7	33	1.0	40	8		
G	16	34.7	41	1.0	40	11		
М	18	26.7	33	1.0	40	11		
N	18	34.7	41	1.0	40	14		
V	18	38.7	45	1.0	40	16		
Н	20	26.7	26.7 33 1.0 40					
J	20	34.7	41	1.0	40	20		
L	20	42.7	49	1.0	40	24		
Note: L1 is KEMET's recommendation for minimum distance between symmetrical lead bend. Available only for customer specifc part numbers. Lead bend dimensions must be specifed and confrmed per article.								



Shelf Life

The capacitance, ESR and impedance of a capacitor will not change signifcantly after extended storage periods, however, the leakage current will very slowly increase. KEMET products are particularly stable and allow a shelf life in excess of ten years at 40°C. See sectional specifcation under each product for specifc data.

Failure Rate

Estimated feld failure rate: ≤ 0.15 ppm (failures per year/produced number of capacitors per year). The expected failure rate for this capacitor range is based on feld experience for capacitors with structural similarity.

Environmental Compliance

As an environmentally conscious company, KEMET is working continuously with improvements concerning the environmental effects of both our capacitors and their production. In Europe (RoHS Directive) and in some other geographical areas like China, legislation has been put in place to prevent the use of some hazardous materials, such as lead (Pb), in electronic equipment. All products in this catalog are produced to help our customers' obligations to guarantee their products and fulfII these legislative requirements. The only material of concern in our products has been lead (Pb), which has been removed from all designs to fulfII the requirement of containing less than 0.1% of lead in any homogeneous material. KEMET will closely follow any changes in legislation world wide and make any necessary changes in its products, whenever needed.

Some customer segments such as medical, military and automotive electronics may still require the use of lead in electrode coatings. To clarify the situation and distinguish products from each other, a special symbol is used on the packaging labels for RoHS compatible capacitors.

Due to customer requirements, there may appear additional markings such as lead-free (LF) or lead-free wires (LFW) on the label.



Table 1 – Ratings & Part Number Reference


	Rated		Case		Rip	ple Curi	rent		ESR Maximum			
VDC	Capacitance	Size	Size		Maximum		Rated	Maximum			Part Number	
	100 Hz 20°C (μF)	Code	D x L (mm)	≥ 5 kHz 125°C (A)¹	≥ 5 kHz 140°C (A)¹	≥ 5 kHz 150°C (A)¹	≥ 5 kHz 125°C (A)	≥ 5 kHz 125°C (A)	100 Hz 20°C (mΩ)	100 kHz 20°C (mΩ)	100 kHz 5 - 100 kHz	
25 25 25 25 25 25 25 25	1500 2200 2000 3000 3400 2200 3300 4700	F G N V J L	16 x 27 16 x 35 18 x 27 18 x 35 20 x 27 20 x 35 20 x 43	16.8 19.2 18.8 21.2 22.0 22.2 25.8 28.5	10.6 12.1 11.9 13.4 13.9 14.0 16.3 18.0	4.7 5.4 5.3 6.0 6.2 6.3 7.3 8.1	5.9 7.2 6.5 7.9 8.3 7.1 8.9 10.3	7.4 9.1 8.3 10.0 10.5 9.1 11.3 13.1	72 51 53 37 33 50 34 25	36 26 19 17 25 17 13	12.7 9.7 11.0 8.7 8.1 10.6 7.8 6.4	PEG226HF4150ME1 PEG226HG4220ME1 PEG226HM4200QE1 PEG226HV4340QE1 PEG226HV4340QE1 PEG226HH4220QE1 PEG226HJ4330QE1



Marking



Construction





Construction Data

The manufacturing process begins with the anode foil being electrochemically etched to increase the surface area and then "formed" to produce the aluminum oxide layer. Both the anode and cathode foils are then interleaved with absorbent paper and wound into a cylinder. During the winding process, aluminum tabs are attached to each foil to provide the electrical contact.

The winding is assembled to the capacitor Al-can and to the Al-lid. The can is flled with electrolyte and the winding is impregnated during a vacuum treatment. The capacitor is sealed. Throughout the process, all materials inside the housing must be maintained at the highest purity and be compatible with the electrolyte.

Each capacitor is aged and tested before being packed. The purpose of aging is to repair any damage in the oxide layer and thus reduce the leakage current to a very low level. Aging is carried out at elevated temperature and is accomplished by applying voltage to the device while carefully controlling the supply current. The process takes between 2 and 20 hours, depending on voltage rating.

Damage to the oxide layer can occur due to a variety of reasons:

- · Slitting of the anode foil after forming
- Attaching the tabs to the anode foil
- Minor mechanical damage caused during winding


The following tests are applied for each individual capacitor.

Electrical:

- Leakage current
- Capacitance
- ESR
- Tan Delta

Mechanical/Visual:

- Pull strength test of wire terminals
- Print detail
- Box labels
- Packaging, including packed quantity





KEMET Electronics Corporation Sales Offices

For a complete list of our global sales of ces, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed.

All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards